

Hardware & handling

Castors, wheels and equipment for moving, access and storage.

INYATHI

CASTORS & WHEELS

INYATHI

TROLLEYS

INYATHI

MOUNTY STEPS



Castors & wheels

PAGES 03-09



GREY TPR



WHITE NYLON



BLUE PU



RED PU




Trolleys

PAGES 10-15



FOLDING NOSE



COKE TROLLEY



PLATFORM



MESH TROLLEY



Mounty steps



PAGES 16-17



Pallet jacks



PAGES 18-19



Store bins



PAGE 20



Explore the range

Find a product family and jump straight to its specifications.



Castors



- 03** Grey TPR rubber
- 04** Blue elastic rubber
- 05** Nylon & red PU
- 06** Blue PU on cast iron
- 07** Red PU on cast iron
- 23** Retail display stand
- 81** CASTOR OPTIONS



Wheels



- 08** Rubber & nylon wheels
- 09** Split rim, foam & pneumatic



24 REPLACEMENT WHEELS



Trolleys

- | | |
|-----------------------------|------------------------------|
| 10 Delivery trolleys | 13 Sack, store & gas |
| 11 Platform trolleys | 14 Picking & catering |
| 12 Mammoth trolleys | 15 Wire & customer |



50 TROLLEY MODELS



Mounty steps



- 16** MH, MS & ML
- 17** MLH series

20 MODELS + 3 SPARES



Pallet jacks



- 18** Manual pallet jacks
- 19** Scale & high-lift

13 PALLET JACK OPTIONS



Store bins



- 20** Black plastic bins

5 SIZES / BLACK

21
Measuring guide

Dimensions & terminology

22
Product index

All 196 stock codes

25
Quotations

Contact & ordering

CASTORS

WHEELS

TROLLEYS

MOUNTYS

PALLET JACKS

STORE BINS

Grey TPR rubber castors

PIR: plain bearing. SNB: ball bearing. Bolthole and plate mounting options.


Bolthole

Swivel plate

Swivel + brake

Stock code	↗	Plate mm	Wheel mm	Fixing* mm	Height mm	Load kg	Mounting / brake
260PIR050B10	-		50x18	10.5 / M10	69	50	Bolthole
260PIR050P60	60x60		50x18	44x44	69	50	Swivel plate
268PIR050P60	60x60		50x18	44x44	69	50	Fixed plate
260PIR075B10	-		75x25	10.5 / M10	100	75	Bolthole
260PIR075P60	60x60		75x25	44x44	100	75	Swivel plate
268PIR075P60	60x60		75x25	44x44	100	75	Fixed plate
260SNB100B12	-		100x32	12.5 / M12	135	100	Bolthole
260SNB100P80	77x67		100x32	59x49	135	100	Swivel plate
268SNB100P80	77x67		100x32	59x49	135	100	Fixed plate
260SNB125B12	-		125x32	12.5 / M12	160	100	Bolthole
260SNB125P80	77x67		125x32	59x49	160	100	Swivel plate
268SNB125P80	77x67		125x32	59x49	160	100	Fixed plate
BRAKED OPTIONS							
267PIR050B10	-		50x18	10.5 / M10	69	50	Bolthole brake
267PIR050P60	60x60		50x18	44x44	69	50	Swivel + brake
267PIR075B10	-		75x25	10.5 / M10	100	75	Bolthole brake
267PIR075P60	60x60		75x25	44x44	100	75	Swivel + brake
267SNB100B12	-		100x32	12.5 / M12	135	100	Bolthole brake
267SNB100P80	77x67		100x32	59x49	135	100	Swivel + brake
267SNB125B12	-		125x32	12.5 / M12	160	100	Bolthole brake
267SNB125P80	77x67		125x32	59x49	160	100	Swivel + brake

* Fixing: hole diameter / thread for boltholes, or fixing-hole centres for plates.

✉ Select a stock code to open a quotation email.

Bars compare loads within each table.

CASTORS

WHEELS

TROLLEYS

MOUNTYS

PALLET JACKS

STORE BINS

Blue elastic rubber castors

NGR roller bearing range. 61 / 88 and 370 / 380 models.



Swivel plate



Fixed plate



Swivel + brake

Stock code	Plate mm	Wheel mm	Fixing* mm	Height mm	Load kg	Mounting / brake
361-NGR	105x80	80x35	83x60	98	90	Swivel plate
388-NGR	105x80	80x35	83x60	98	90	Fixed plate
461-NGR	128x105	100x36	102x78	128	120	Swivel plate
488-NGR	128x105	100x36	102x78	128	120	Fixed plate
370NGR080P100	104x80	80x35	80x60	108	140	Swivel plate
378NGR080P100	104x80	80x35	80x60	108	140	Fixed plate
370NGR100P100	104x80	100x36	80x60	128	150	Swivel plate
378NGR100P100	104x80	100x36	80x60	128	150	Fixed plate
370NGR100P100-W	104x80	100x36	80x60	128	160	Swivel plate
378NGR100P100-W	104x80	100x36	80x60	128	160	Fixed plate
370NGR125P100	104x80	125x37	80x60	159	200	Swivel plate
378NGR125P100	104x80	125x37	80x60	159	200	Fixed plate
380NGR160P140	138x114	160x48	105x80	195	300	Swivel plate
388NGR160P140	138x114	160x48	105x80	195	300	Fixed plate
380NGR200P140	138x114	200x48	105x80	240	320	Swivel plate
388NGR200P140	138x114	200x48	105x80	240	320	Fixed plate
BRAKED OPTIONS						
377NGR080P100	104x80	80x35	80x60	108	140	Swivel + brake
377NGR100P100	104x80	100x36	80x60	128	150	Swivel + brake
377NGR100P100-W	104x80	100x36	80x60	128	160	Swivel + brake
377NGR125P100	104x80	125x37	80x60	159	200	Swivel + brake
387NGR160P140	138x114	160x48	105x80	195	300	Swivel + brake
387NGR200P140	138x114	200x48	105x80	240	320	Swivel + brake

* Fixing shows hole centres. The -W models remain separate 100 mm options.


Select a stock code to open a quotation email.

Bars compare loads within each table.

[CASTORS](#)
[WHEELS](#)
[TROLLEYS](#)
[MOUNTYS](#)
[PALLET JACKS](#)
[STORE BINS](#)

Nylon & red PU castors

White nylon: plain bearing. Red polyurethane on cast iron: roller bearing.



WHITE NYLON

Stock code	↗	Plate mm	Wheel mm	Fixing* mm	Height mm	Load kg	Mounting / brake
961-NY		66x48	50x25	54x24	64	65	Swivel plate
988-NY		66x44	50x25	54x24	64	65	Fixed plate
261-NY		95x70	65x30	78x45	84	80	Swivel plate
288-NY		95x70	65x30	76x45	84	80	Fixed plate
361-NY		105x80	75x32	83x60	98	100	Swivel plate
388-NY		105x80	75x32	83x60	98	100	Fixed plate
461-NY		128x105	100x32	102x78	128	140	Swivel plate
488-NY		128x105	100x32	102x78	128	140	Fixed plate

RED PU ON CAST IRON

Stock code	↗	Plate mm	Wheel mm	Fixing* mm	Height mm	Load kg	Mounting / brake
361-PUR		105x80	75x30	83x60	98	100	Swivel plate
388-PUR		105x80	75x30	83x60	98	100	Fixed plate
461-PUR		128x105	100x30	102x78	128	140	Swivel plate
488-PUR		128x105	100x30	102x78	128	140	Fixed plate

* Fixing shows hole centres. Each row lists the mounting dimensions for that stock code.

✉ Select a stock code to open a quotation email.

Bars compare loads within each table.

CASTORS

WHEELS

TROLLEYS

MOUNTYS

PALLET JACKS

STORE BINS

Blue PU on cast iron

PTB 370 / 380 series. Ball bearing. Wheel diameters from 80 to 200 mm.



Swivel plate



Fixed plate



Swivel + brake

Stock code	Plate mm	Wheel mm	Fixing* mm	Height mm	Load kg	Mounting / brake
370PTB080P100	104x80	80x32	80x60	108	150	Swivel plate
378PTB080P100	104x80	80x32	80x60	108	150	Fixed plate
370PTB100P100	104x80	100x32	80x60	128	180	Swivel plate
378PTB100P100	104x80	100x32	80x60	128	180	Fixed plate
370PTB125P100	104x80	125x35	80x60	159	225	Swivel plate
378PTB125P100	104x80	125x35	80x60	159	225	Fixed plate
380PTB150P140	138x114	150x50	105x80	195	320	Swivel plate
388PTB150P140	138x114	150x50	105x80	195	320	Fixed plate
380PTB200P140	138x114	200x50	105x80	240	320	Swivel plate
388PTB200P140	138x114	200x50	105x80	240	320	Fixed plate
BRAKED OPTIONS						
377PTB080P100	104x80	80x32	80x60	108	150	Swivel + brake
377PTB100P100	104x80	100x32	80x60	128	180	Swivel + brake
377PTB125P100	104x80	125x35	80x60	159	225	Swivel + brake
387PTB150P140	138x114	150x50	105x80	195	320	Swivel + brake
387PTB200P140	138x114	200x50	105x80	240	320	Swivel + brake

* Fixing shows hole centres. Choose the complete code for the required mounting and wheel size.

Select a stock code to open a quotation email.

Bars compare loads within each table.

CASTORS

WHEELS

TROLLEYS

MOUNTYS

PALLET JACKS

STORE BINS

Red PU on cast iron

PUB XX series. Ball bearing. 50 mm wheel width across the range.



Swivel plate



Fixed plate



Swivel + brake

Stock code	Plate mm	Wheel mm	Fixing* mm	Height mm	Load kg	Mounting / brake
4XX-PUB	115x100	100x50	85x72	142	400	Swivel plate
4YY-PUB	115x100	100x50	85x72	142	400	Fixed plate
5XX-PUB	115x100	125x50	85x72	164	450	Swivel plate
5YY-PUB	115x100	125x50	85x72	164	450	Fixed plate
6XX-PUB	115x100	150x50	85x72	190	500	Swivel plate
6YY-PUB	115x100	150x50	85x72	190	500	Fixed plate
8XX-PUB	115x100	200x50	85x72	240	500	Swivel plate
8YY-PUB	115x100	200x50	85x72	240	500	Fixed plate
BRAKED OPTIONS						
4XX-PUB/BK	115x100	100x50	85x72	142	400	Swivel + brake
5XX-PUB/BK	115x100	125x50	85x72	164	450	Swivel + brake
6XX-PUB/BK	115x100	150x50	85x72	190	500	Swivel + brake
8XX-PUB/BK	115x100	200x50	85x72	240	500	Swivel + brake

* Fixing shows hole centres. Listed capacities range from 400 to 500 kg per castor.

Select a stock code to open a quotation email.

Bars compare loads within each table.

Rubber & nylon wheels

Compare wheel dimensions, axle fit and load in one place.

Grey TPR rubber

PIR plain / SNB ball



Stock code	Wheel mm	Hub mm	Bore mm	Load kg
PIR-050-W/C	50x18	26	8	50
PIR-075-W/C	75x25	28	10	60
SNB-100-W/C	100x32	37	12	100
SNB-125-W/C	125x32	37	8	110

White nylon

Plain bearing



Stock code	Wheel mm	Hub mm	Bore mm	Load kg
WNY-050-W/C	50x23	25	6	85
WNY-065-W/C	64x28	32	10	110
WNY-075-W/C	75x32	39	10	135
WNY-100-W/C	100x32	47	11	160

Blue elastic rubber

Ball bearing



Stock code	Wheel mm	Hub mm	Bore mm	Load kg
SEB-100x50 W/C	100x50	58	17	300
SEB-125x50 W/C	125x50	58	17	350
SEB-150x50 W/C	150x50	58	17	400
SEB-200x50 W/C	200x50	58	17	450

Solid rubber

Plain bearing



Stock code	Wheel mm	Hub mm	Bore mm	Load kg
WSR0820 P25	200x50	60	25	110

Black rubber on nylon rim

Plain bearing



Stock code	Wheel mm	Hub mm	Bore mm	Load kg
WSN-0620 P20/25	150x45	60	20/25	90
WSN-0820 P20/25	200x50	60	20/25	110

Select a stock code to open a quotation email.

Bars compare loads within each table.

Split rim, foam & pneumatic

Wheelbarrow and replacement wheel options.

Wheelbarrow wheels

Plain bearing



Stock code	Wheel mm	Hub mm	Bore mm	Load kg
WBS330/65 P25	330x60	65	25	100
WBS330/65+AXLE	330x60	65	25	100

Steel split rim rubber

Plain bearing



Stock code	Wheel mm	Load kg
WSS0620-P25	150x50	90
WSS0820-P25	200x50	110
WSS1430-P25	350x65	180

Steel split rim rubber

Ball bearing



Stock code	Wheel mm	Load kg
WSS0620-B25	150x50	90
WSS0820-B25	200x50	110

Steel rim PU foam filled

Ball bearing



Stock code	Load kg
WSF1334-B25	250

Plastic rim pneumatic

Plain bearing



Stock code	Load kg
WSF1334-P25	250

WBS330/65+AXLE includes the axle. All listed capacities are per wheel.

Select a stock code to open a quotation email.

Bars compare loads within each table.

Delivery trolleys

Two-wheel folding nose, beverage and brewery models. Painted and zinc finishes.



Folding nose / blue



Folding nose / zinc



Coke / CC15-RED



Coke / CC15-ZINC



Brewery / zinc

Stock code	Description / finish	Size mm (L x W x H)	Load kg
FNJ	Junior Folding Nose (Red powder coated)	1000H x 300W	75
FN1-BLUE	Medium Folding Nose (Blue powder coated)	1150H x 570W	220
FN1-ZINC	Medium Folding Nose (Zinc)	1150H x 570W	220
FN2-BLUE	Large Folding Nose (Blue powder coated)	1150H x 620W	220
FN2-ZINC	Large Folding Nose (Zinc)	1150H x 620W	220
FN3-BLUE	Small Folding Nose (Blue powder coated)	1150H x 470W	220
FN3-ZINC	Small Folding Nose (Zinc)	1150H x 470W	220
CC15-RED	Coke Trolley (Red powder coated)	1230H x 340W	220
CC15-ZINC	Coke Trolley (Zinc)	1230H x 340W	220
SAB10-RED	Brewery Trolley (Red powder coated)	1350H x 540W	250
SAB10-ZINC	Brewery Trolley (Zinc)	1350H x 540W	250

Select a stock code to open a quotation email.

Bars compare loads within each table.

Platform trolleys

Small and large platforms, with open, mesh-sided and lockable options.



Stock code	Description / finish	Size mm (L x W x H)	Load kg
SMPL-BLUE	Small Platform Trolley (Blue powder coated)	910L x 610W	300
SMPL-ZINC	Small Platform Trolley (Zinc)	910L x 610W	300
SMPL/MESH	Small Platform Trolley + Mesh Sides	910L x 610W x 820H	300
SMPL/LOCKABLE	Small Platform Trolley + Mesh Sides/Top Lid	910L x 610W x 820H	300
LPL-BLUE	Large Platform Trolley (Blue powder coated)	1225L x 685W	500
LPL-ZINC	Large Platform Trolley (Zinc)	1225L x 685W	500
LPL/MESH	Large Platform Trolley + Mesh Sides	1225L x 685W x 840H	500
LPL/LOCKABLE	Large Platform Trolley + Mesh Sides/Top Lid	1225L x 685W x 840H	500

✉ Select a stock code to open a quotation email.

Bars compare loads within each table.

Mammoth trolleys

900 kg capacity. NGB and PTB options. Open platforms in blue or zinc finish.



Open platform / blue



Mesh sides / blue

Stock code	Description / finish	Size mm (L x W x H)	Load kg
14B-BLUE/NGB	Mammoth Trolley (Blue powder coated)	1500L x 600W	900
14B-ZINC/NGB	Mammoth Trolley (Zinc)	1500L x 600W	900
14B-MESH/NGB	Mammoth Trolley + Mesh Sides	1500L x 600W x 810H	900
14B-LOCKABLE/NGB	Mammoth Trolley + Mesh Sides/Top Lid	1500L x 600W x 810H	900
14B-BLUE/PTB	Mammoth Trolley (Blue powder coated)	1500L x 600W	900
14B-ZINC/PTB	Mammoth Trolley (Zinc)	1500L x 600W	900
14B-MESH/PTB	Mammoth Trolley + Mesh Sides	1500L x 600W x 810H	900
14B-LOCKABLE/PTB	Mammoth Trolley + Mesh Sides/Top Lid	1500L x 600W x 810H	900

Mesh-sided models: 14B-MESH/NGB and 14B-MESH/PTB. Open platforms are also available in zinc. Match the full wheel suffix when ordering.

Select a stock code to open a quotation email.

Bars compare loads within each table.

Sack, store & gas trolleys

Zinc-finished models for the listed handling applications.



Sack trolley



Single gas bottle trolley

Stock code	Description / finish	Size mm (L x W x H)	Load kg
ST1/SN	Sack Trolley (Zinc)	1000H x 460W	220
STH14/16-SN	Store Truck (Zinc)	1300H x 560W	220
14CYT/SN	Single Gas Oxygen Bottle (Zinc)	1010H x 280W	220
15LPG/SN	Single LPG Gas Bottle (Zinc)	1175H x 415W	220
16CYT/SN	Double Gas Oxy/Acety Bottle (Zinc)	1340H x 550W	220

✉ Select a stock code to open a quotation email.

Bars compare loads within each table.

Picking & catering trolleys

Two-tier and three-tier models, plus stationery picking trolleys.



Stock code	Description / finish	Size mm (L x W x H)	Load kg
OP36/2-GREY	Small 2 Tier Order Picking Trolley (Grey)	920L x 515W x 915H	220
OP36/2-ZINC	Small 2 Tier Order Picking Trolley (Zinc)	920L x 515W x 915H	220
OP36/3-GREY	Small 3 Tier Order Picking Trolley (Grey)	920L x 515W x 915H	220
OP36/3-ZINC	Small 3 Tier Order Picking Trolley (Zinc)	920L x 515W x 915H	220
OP42/2-GREY	Large 2 Tier Order Picking Trolley (Grey)	1067L x 610W x 1066H	220
OP42/2-ZINC	Large 2 Tier Order Picking Trolley (Zinc)	1067L x 610W x 1066H	220
OP42/3-GREY	Large 3 Tier Order Picking Trolley (Grey)	1067L x 610W x 1066H	220
OP42/3-ZINC	Large 3 Tier Order Picking Trolley (Zinc)	1067L x 610W x 1066H	220
SP36	Small 2 Tier Stationery Picking Trolley	920L x 515W x 915H	220
SP42	Large 2 Tier Stationery Picking Trolley	1067L x 610W x 1066H	220
SS36/2	Small 2 Tier Order Picking Trolley (Stainless Steel)	950L x 500W x 950H	240
SS36/3	Small 3 Tier Order Picking Trolley (Stainless Steel)	950L x 500W x 950H	240

Select a stock code to open a quotation email.

Bars compare loads within each table.

Wire & customer trolleys

Stackable mesh, customer cart and wire display models.



Wire mesh trolley



Customer cart / CUCT

Stock code	Description / finish	Size mm (L x W x H)	Load kg
WMT 600/075	Stackable Wire Mesh Trolley	600L x 600W x 600H	220
WMT 900/100	Stackable Wire Mesh Trolley	900L x 600W x 600H	280
WMT 1200/125	Stackable Wire Mesh Trolley	1200L x 600W x 600H	350
CUCT	Customer Cart Trolley	900L x 450W x 820H	250
WDT36/2	2 Tier Wire Display Trolley	-	-
WDT36/3	3 Tier Wire Display Trolley	-	-

Wire mesh photo illustrates the family. WDT36/2 and WDT36/3 dimensions and load ratings are not published; these fields are shown as a dash.

✉ Select a stock code to open a quotation email.

Bars compare loads within each table.

Mounty steps & spares

MH, MS and ML mobile safety ladder range.



MH / MS series



ML series

Stock code	Platform height (mm)	Total height (mm)	Length (mm)	Width (mm)
MH-2	440	490	480	500
MS-2	440	490	480	500
ML-3	850	1210	800	500
ML-4	1120	1480	-	500
ML-5	1390	1750	-	500
ML-6	1660	2020	-	500

ML-4, ML-5 and ML-6 are 500 mm wide. Assembled lengths are not listed and are shown as a dash.

Mounty replacement steps

Stock code	Description	Length (mm)	Width (mm)
MLS-STD	STD MLH Step raw	600	180
MLS-JNR	Junior MLH Step raw	450	180
MLS-JNR TOP	Junior Top MLH Step raw	450	290

☐ Select a stock code to open a quotation email.

Mounty MLH series

Mobile safety ladders with platform heights from 750 to 4,000 mm.

Fourteen listed configurations.

Use platform height to compare access levels.
Check total height and the floor footprint
against the available space.

750-4,000 mm

platform height range



Stock code	Platform height (mm)	Total height (mm)	Length (mm)	Width (mm)
MLH-3	750	1600	722	930
MLH-4	1000	1850	891	930
MLH-5	1250	2100	1060	930
MLH-6	1500	2350	1230	930
MLH-7	1750	2600	1400	930
MLH-8	2000	2850	1569	930
MLH-9	2250	3100	1740	930
MLH-10	2500	3350	1907	930
MLH-11	2750	3600	2075	930
MLH-12	3000	3850	2245	930
MLH-13	3250	4100	2410	930
MLH-14	3500	4350	2583	930
MLH-15	3750	4600	2752	930
MLH-16	4000	4850	2921	930

All listed MLH models have a 930 mm footprint width. Compare platform height and floor length to select the required configuration.

☐ Select a stock code to open a quotation email.

[CASTORS](#)
[WHEELS](#)
[TROLLEYS](#)
[MOUNTYS](#)
[PALLET JACKS](#)
[STORE BINS](#)

Manual pallet jacks

Narrow, standard, heavy-duty, low-profile, short, long and zinc-finished options.


3-ton narrow

5-ton heavy duty

Zinc / CBY25/GALV

Item code	Description	Fork L x W x min H (mm)	Load (kg)
CBY30/NY-NAR	Narrow. Double bogie nylon	1150L x 550W x 85	3000
CBY30/PU-NAR	Narrow. Double bogie PU	1150L x 550W x 85	3000
CBY30/NY-STD	Standard. Double bogie nylon	1220L x 685W x 85	3000
CBY30/PU-STD	Standard. Double bogie PU	1220L x 685W x 85	3000
CBY50/HD	Heavy duty. Double bogie PU	1220L x 685W x 85	5000
CBY20/LOW	Low profile. Double bogie nylon	1220L x 685W x 65	2000
CBY25/SHORT	Short. Double bogie nylon	1000L x 685W x 85	2500
CBY30/15-LONG	1,500 mm long. Double bogie nylon	1500L x 685W x 85	3000
CBY30/18-LONG	1,800 mm long. Double bogie nylon	1800L x 685W x 85	3000
CBY25/GALV	Zinc finish. Double bogie nylon	1220L x 685W x 85	2500

Low-profile model: 65-175 mm fork height. Narrow and standard 3-ton models: 85-195 mm. Match fork length, width and minimum height to your pallet openings.

☐ Select a stock code to open a quotation email.

Bars compare loads within each table.

Scale & high-lift pallet jacks

Weighing and raised handling options.



Scale pallet jack / representative image

HIGH-LIFT OPTIONS

800 mm

listed lift height

Narrow: 540 mm width.
Standard: 680 mm width.

1,500 kg listed capacity.

Stock code	Description	Fork L x W x min H (mm)	Load (kg)
CBY30/SCALE	Scale. Double bogie nylon	1220L x 685W x 85	3000
CBY15/HL-NAR	Narrow high-lift. 800 mm lift height	1150L x 540W x 85	1500
CBY15/HL-STD	Standard high-lift. 800 mm lift height	1150L x 680W x 85	1500

Working heights and weighing

Scale model: battery-powered weighing, 3,000 kg listed load and 85-195 mm fork height.

High-lift models: 85-800 mm fork height and 1,500 kg listed load. Match the listed fork dimensions to your pallet openings.

Select a stock code to open a quotation email.

Bars compare loads within each table.

Black plastic store bins

Five sizes for organising small parts, components and hardware.

Black plastic.
Five sizes.

3-20 kg

listed capacity per bin



SB-No 1 to SB-No 5 / black

Stock code	↗	Length (mm)	Width (mm)	Height (mm)	Load (kg)
SB-No 1		140	105	70	3
SB-No 2		105	190	70	3
SB-No 3		280	140	130	10
SB-No 4		390	210	180	15
SB-No 5		390	420	180	20

All five models are black plastic. Dimensions are listed as length, width and height.

Choose by code and size



Match the listed dimensions to your storage space. Include the stock code and quantity with your order.


✉ Select a stock code to open a quotation email.

Bars compare loads within each table.

Measure the right dimensions

Use these reference sketches when comparing codes or requesting a quotation.

01 Wheel & axle fit



Wheel size = diameter x tread width.

Hub length is measured along the axle.

Bore is the central axle-hole diameter.

02 Plate size & fixing centres




Plate size is the outside length x width.

Fixing centres are measured from the centre of one mounting hole to the next.

For bolthole castors, check the hole diameter and thread separately.

Read the catalogue with confidence

L / W / H = length / width / height. All dimensions are in mm.

TPR = thermoplastic rubber. **PU** = polyurethane.

Load kg is the listed capacity of one product, castor or wheel.

A dash indicates a field that is not applicable or not published; see the product notes.

Product code index

196 listed product and Mounty spare codes. Index 1 of 2. Select a page number to jump to the range.

ITEM CODE	PAGE	ITEM CODE	PAGE	ITEM CODE	PAGE
14B-BLUE/NGB	12	361-PUR	05	388PTB150P140	06
14B-BLUE/PTB	12	370NGR080P100	04	388PTB200P140	06
14B-LOCKABLE/NGB	12	370NGR100P100	04	461-NGR	04
14B-LOCKABLE/PTB	12	370NGR100P100-W	04	461-NY	05
14B-MESH/NGB	12	370NGR125P100	04	461-PUR	05
14B-MESH/PTB	12	370PTB080P100	06	488-NGR	04
14B-ZINC/NGB	12	370PTB100P100	06	488-NY	05
14B-ZINC/PTB	12	370PTB125P100	06	488-PUR	05
14CYT/SN	13	377NGR080P100	04	4XX-PUB	07
15LPG/SN	13	377NGR100P100	04	4XX-PUB/BK	07
16CYT/SN	13	377NGR100P100-W	04	4YY-PUB	07
260PIR050B10	03	377NGR125P100	04	5XX-PUB	07
260PIR050P60	03	377PTB080P100	06	5XX-PUB/BK	07
260PIR075B10	03	377PTB100P100	06	5YY-PUB	07
260PIR075P60	03	377PTB125P100	06	6XX-PUB	07
260SNB100B12	03	378NGR080P100	04	6XX-PUB/BK	07
260SNB100P80	03	378NGR100P100	04	6YY-PUB	07
260SNB125B12	03	378NGR100P100-W	04	8XX-PUB	07
260SNB125P80	03	378NGR125P100	04	8XX-PUB/BK	07
261-NY	05	378PTB080P100	06	8YY-PUB	07
267PIR050B10	03	378PTB100P100	06	961-NY	05
267PIR050P60	03	378PTB125P100	06	988-NY	05
267PIR075B10	03	380NGR160P140	04	CBY15/HL-NAR	19
267PIR075P60	03	380NGR200P140	04	CBY15/HL-STD	19
267SNB100B12	03	380PTB150P140	06	CBY20/LOW	18
267SNB100P80	03	380PTB200P140	06	CBY25/GALV	18
267SNB125B12	03	387NGR160P140	04	CBY25/SHORT	18
267SNB125P80	03	387NGR200P140	04	CBY30/15-LONG	18
268PIR050P60	03	387PTB150P140	06	CBY30/18-LONG	18
268PIR075P60	03	387PTB200P140	06	CBY30/NY-NAR	18
268SNB100P80	03	388-NGR	04	CBY30/NY-STD	18
268SNB125P80	03	388-NY	05	CBY30/PU-NAR	18
288-NY	05	388-PUR	05	CBY30/PU-STD	18
361-NGR	04	388NGR160P140	04	CBY30/SCALE	19
361-NY	05	388NGR200P140	04	CBY50/HD	18

Castor display stand

A branded display concept for hardware stores and retail showrooms.



Concept illustration. Final stand design and stocked assortment are agreed for each store.

Make the range easy to shop.

Bring castors together in one organised, branded display for your store.

01



Branded presence

An Inyathi header makes the range easy to identify.

02



Clear product groups

Arrange product families and sizes for easy browsing.

03



Tiered presentation

Give each product group its own space in the display.

Offer this display in your store

Ask us about stand options and the castor selection for your store.

Product code index

196 listed product and Mounty spare codes. Index 2 of 2. Select a page number to jump to the range.

ITEM CODE	PAGE	ITEM CODE	PAGE	ITEM CODE	PAGE
CC15-RED	10	MLS-STD	16	WBS330/65 P25	09
CC15-ZINC	10	MS-2	16	WBS330/65+AXLE	09
CUCT	15	OP36/2-GREY	14	WDT36/2	15
FN1-BLUE	10	OP36/2-ZINC	14	WDT36/3	15
FN1-ZINC	10	OP36/3-GREY	14	WMT 1200/125	15
FN2-BLUE	10	OP36/3-ZINC	14	WMT 600/075	15
FN2-ZINC	10	OP42/2-GREY	14	WMT 900/100	15
FN3-BLUE	10	OP42/2-ZINC	14	WNY-050-W/C	08
FN3-ZINC	10	OP42/3-GREY	14	WNY-065-W/C	08
FNJ	10	OP42/3-ZINC	14	WNY-075-W/C	08
LPL-BLUE	11	PIR-050-W/C	08	WNY-100-W/C	08
LPL-ZINC	11	PIR-075-W/C	08	WSF1334-B25	09
LPL/LOCKABLE	11	SAB10-RED	10	WSF1334-P25	09
LPL/MESH	11	SAB10-ZINC	10	WSN-0620 P20/25	08
MH-2	16	SB-No 1	20	WSN-0820 P20/25	08
ML-3	16	SB-No 2	20	WSR0820 P25	08
ML-4	16	SB-No 3	20	WSS0620-B25	09
ML-5	16	SB-No 4	20	WSS0620-P25	09
ML-6	16	SB-No 5	20	WSS0820-B25	09
MLH-10	17	SEB-100x50 W/C	08	WSS0820-P25	09
MLH-11	17	SEB-125x50 W/C	08	WSS1430-P25	09
MLH-12	17	SEB-150x50 W/C	08		
MLH-13	17	SEB-200x50 W/C	08		
MLH-14	17	SMPL-BLUE	11		
MLH-15	17	SMPL-ZINC	11		
MLH-16	17	SMPL/LOCKABLE	11		
MLH-3	17	SMPL/MESH	11		
MLH-4	17	SNB-100-W/C	08		
MLH-5	17	SNB-125-W/C	08		
MLH-6	17	SP36	14		
MLH-7	17	SP42	14		
MLH-8	17	SS36/2	14		
MLH-9	17	SS36/3	14		
MLS-JNR	16	ST1/SN	13		
MLS-JNR TOP	16	STH14/16-SN	13		

Tell us what you need

Send the stock code, quantity and application to start your quotation.



QUOTATIONS & ORDERS

CALL US

Nikhail@inyathiladders.co.za

011 794 4456

Office@inyathiladders.co.za

010 222 0042

GAUTENG DELIVERY

2-3 days

NATIONAL DELIVERY

2-5 days

Three details for your quotation

01



Product code

Include the complete stock code and quantity. Keep the finish, mounting and wheel suffixes.

02



Dimensions & fit

Check the available space, plate dimensions, hole centres or axle fit.

03



Load & application

Tell us the required load, operating surface and intended use.

Before you order

Start with the complete stock code.

Select a stock code in a product table to open an email with the code already filled in. Add the quantity, application and delivery location.

Match the selected code.

Images show representative products. Specify the finish and configuration. Current pricing and availability are provided with your quotation.